PSC Assistant Environmental Officer - Environment And Climate Change Examination Previous Year Question Paper

Exam Name: Assistant Environmental Officer - Environment And Climate Change

Date of Test: 29.10.2015

Question Paper Code: 203/2015

Medium of Questions: English



203/2015

1.	Panspermia is related with:
	(A) Life originates from outer space
	(B) Mode of sperm movement
	(C) Theory on the evolution of gymnosperms
	(D) An epidemic
2.	Of the following diseases, which is not caused by water pollution?
	(A) Malaria (B) Dysentery (C) Typhoid (D) Jaundice
3.	The permissible level of Ozone in the atmosphere of rural areas as per National Ambient Air quality standards is :
	(A) $200 \ \mu g/m^3$ (B) $60 \ \mu g/m^3$ (C) $100 \ \mu g/m^3$ (D) $20 \ \mu g/m^3$
4.	Suppose rice plant converts 100 g of CO ₂ per day into glucose. How many litres of O ₂ at STP are produced ?
	(A) 14.02 L O ₂ (B) 50.9 L O ₂ (C) 66.12 L O ₂ (D) 26.44 L O ₂
5.	More prominent and destructive natural disaster in Kerala :
	(A) Earthquake (B) Landslide (C) Flood (D) Lightning
6.	As per EPA 1986, the permissible limit of BOD (3 day 27°C) in the effluents discharged into the inland surface waters :
	(A) $100 \text{ mgO}_2/1$ (B) $40 \text{ mgO}_2/1$ (C) $10 \text{ mgO}_2/1$ (D) $30 \text{ mgO}_2/1$
7.	Who is known as the Patron Saint of Ecology ?
	(A) St. Francis of Assissi (B) St. Vincent de Paul
	(C) St. Francis Sales (D) St. Marcellinus
8.	Of the following, which one is not a category B project as per EIA Notification 2006:
	(A) Ports having < 5 million TPA of cargo handling capacity
	(B) Thermal power plant with < 500 MW
	(C) Sugar industry with > 5000 tcd cane crushing capacity
	(D) Mining project ≥ 50 ha. of mining lease area

9.	Whic	th of the following is act as natural	sour	ces of meth	ane ?				
	(i)	The state of the s		Wetlands			(v)	landfills	
	3.00	ose the correct code :			1100000				
	(A)	All are correct	(B)	(i), (ii), (iii)	are o	correct			
	(C)		(D)			are correct			
10.	Wha	t volume of 12 m HCl is required to	prej	oare 750 ml	. of 3	m HCl solu	ition ?		
	(A)	450 mL (B) 190 mL		(C) 260 i	mL	(D)	440	mL	
11.	The	members of BTEX group are :							
	(A)	Bromide, Thalium, Ethylbenzene	and)	Kenon					
	(B)	Benzene, Toluene, Ethylbenzene a							
	(C)	Benzene, Thorium, Ethylacetate as							
	(D)	Benzene, Toluene, Ethylchloride,							
	3-1								
12.	Phyc	coremediation is the process of							
	(A)	Waste water treatment using eme	rgent	plants					
	(B)	Waste water treatment using alga-	e						
	(C)	Waste water treatment using GM	bacte	eria					
	(D)	Waste water treatment using fung	gus						
13.	Chin	na clay zone in Kerala is :							
	(A)	between Aluva and Chavakkad							
	(B)	between Aluva and Munnar							
	(C)	between Thiruvananthapuram an	nd Ku	ındara					
	(D)	between Thrissur and Walayar							
					2019				
14.		maximum limit of noise in the elines:	comi	mercial are	ea du	ring day t	ime a	s per CP	CI
		45 dB (A) Leq (B) 75 dB (A) I	.eq	(C) 65 dl	B (A)	Leq (D)	80 d	IB (A) Leq	
15.	The	total mass of water on planet earth	is:						
		1.5×10 ¹⁸ tonnes	(B)	2.2×10 ¹³	tonne	es			
		1.2×10 ⁷ tonnes	(D)	24.2×10^{18}	tonr	nes			
203/	2015		4						i

16.	Gaia	hypothesis proposed by	:		
	(A)	James Lovelock	(B)	Charles Darwin	
	(C)	Stephen Hawking	(D)	Alexander Von Hu	mboldt
17.	Appi	iko movement led by :			
	(A)	Panduranga Hegde	(B)	Sunderlal Bahugun	a
	(C)	Chandi Prasad Bhatt	(D)	Medha Patkar	
18.	Expa	nsion of OTEC:			
	(A)	Oil and Thermal Energ	y Conversion		
	(B)	Oil and Thermal Energ	y Coefficient		
	(C)	Oceanic Tidal Energy (
	(D)	Ocean Thermal Energy	Conversion		
19.	Biop	lastic is :			
		Polyurethanes	(B)	Polystyrene	
	(C)	Polyvinyl chloride	(D	Polylactic acid	
20.	Biolt	ıminescence is related w	ith:		
	(A)	Kelp	(B)	Dianoflagellates	
	(C)	Monitor lizard	(D)	Achatina fulica	
21.	DDT	is a :			
	(A)	Weedicide (B)	Insecticide	(C) Herbicide	(D) Fungicide
22.	Nam	ne the chemical that cont	ributes to pho	tochemical smog:	
	(A)	NO ₃ (B)	NO ₂	(C) SO ₂	(D) SO ₃
22	Ac. w	er CPCB standards, the	quality of out	loor hathing water she	ould be:
23.					ween 6.5 and 8; Dissolved
	((3)	Oxygen 4 mg/l or mor			
	(B)	Total Coliforms (MPN Oxygen 5 mg/l or mor			etween 4 and 8; Dissolved
	(C)	A Visited The second	/100 ml) shall	be 500 or less; pH betw	veen 6.5 and 8.5; Dissolved
	(D)	The second secon	/100 ml) shall	be 1000 or less; pH b	etween 4 and 8; Dissolved
A			1	5	203/2013
					{P.T.O.

fb.com/pscnet.in

	(A)	minimum stack height 100 m above ground 30 m above ground		(B)	15 m	ors should be : above ground above ground		
25.		dia, the Ecomarking sc 2001 (B)	heme started 1986	d in :	(C)	2002	(D)	1991
		ong the following, wh	ich standar	d pro	vides	the manageme	ent of	Green House gas
	(A)	ISO 14063 (B)	ISO 14062		(C)	ISO 14001	(D)	ISO 14064
		er Wild Life Protection Schedule III (B)						Cohadula II
								Scriedule II
28.		was the first scientist (B)						James Hansen
		Ayers Rock (Uluru) in Igneous rock Metamorphic rock		(B)	Sedir	of : mentary rock mants of Meteori	te	
	(A)	xyacetyl Nitrates (PAN N ₂ with CO NO ₂ with VOCs		(B)	N ₂ W	ction of : rith VOCs with CFCs		
	(A)	ers are : The hotwater springs The jet of boiling wate Artificial hot water po The natural ponds wh	onds of temp	erate	regio	ns		
	The a	albedo of charcoal is :	0.04		(C)	0.52	(D)	0.66
33.	The l	Legal provision is to post of handling any haza E waste (Management Environment Protection Hazardous Waste (Maragement Public Liability Insura	rovide for da rdous substa t and Handli on Act, 1986 anagement, l	ince : ing) R nandli	es to	victims of an ac	cident	which occurs as a
203/2	2015			6				A

34.		olid material obtained fro ronment is :	om thermoo	hemi	cal convers	ion of bio	mass in	an oxygen limited
			Activated	Carbo	on (C)	Biochar	(D)	Pyruvate
		- 1,7						
35.	Inter	rnational day for Biodive	ersity is on	:				
	(A)	May 22 (B)	April 21		(C) Mar	ch 22	(D)	June 5
36.	Plun	nbism is due to the toxic	ity of:					
	(A)	Cadmium (Cd) (B)	Lead (Pb)		(C) Cop	per (Cu)	(D)	Nitrate
	* *	50.4000						
37.		a is:		7125	A m. danson oddin	to to some		
		Woody vines	A Contract	(B)	An invasiv			
	(C)	An epidemic of West	Africa	(D)	Geneticall	y modifie	a potato	
38.	Enth	nalpy of an exothermic r	eaction is					
50.	(A)		enerion is .	(B)	Always ze	ero		
	(C)	Always positive		(D)	Either pos		egative	
		*		03.000				
39.	Pedo	ogenesis is :						
	(A)	the formation of potho	oles					
	(B)	study on the formation	and science	e of	petroleum			
	(C)	the science and study						
	(D)	scientific study on the	genetic var	iation	among ne	wborn ba	bies	
1526	-							
40.		instrument used for the	detection o					
	Visit 1	Spectroradiometer		(B)	Flourimete Flame pho			
	(C)	Spectrophotometer		(D)	riame pro	otometer		
41.	The	following is not a low c	loud :					
411		Stratocumulus (B)		lus	(C) Cum	nulonimbi	15 (D)	Stratus
	()				1-7			
42.	The	instrument used for the	detection o	f pesi	ticides is :			
			PCR		(C) GC-	MS	(D)	ICPMS
43.	Amo	ong the following, one is	not a phyt	torem	ediation pr	ocess:		
	(A)	Phytoextraction		(B)	Phytostab	ilization		
	(C)	Phytovolatilization		(D)	Phytoscre	ening		
À				7				203/2015
6.8								and the second of the second o

(A) quantity of energy required per unit output or activity (B) quantity of energy used by the activity (C) quantity of energy produced by an action (D) quantity of energy used by unit volume of mass 45. The role of nebuliser in Atomic Absorption Spectroscopy is: (A) Converts the liquid sample into small bubbles (B) Heat and push the sample to the detector (C) Converts the liquid sample into a fine spray or aerosol (D) Homogenizing the solutes 46. An example of neuston is: (A) fish (B) chironomous larvae (C) water strider (D) cope 47. The instrument which records the vibration of earth: (A) Seismogram (B) Clinometer (C) Seismometer (D) Richt 48. The point in the earth where the seismic waves originate: (A) Seismic area (B) Hypocentre (C) Epicentre (D) Fault 49. The set of biotic and abiotic conditions in which a species is able to persist a stable population sizes is known as: (A) Ecological niche (B) Habitat (C) Community (D) Ecoto 50. In oceans, down welling occurs in the areas of: (A) High current and salinity (B) Surface convergence (C) High offshore winds (D) Surface divergence 51. The following is not an application of HPLC: (A) Detection of vitamin D levels in urine (B) Estimation of bioethanol production (C) Detection of heavy metals (D) Drug detection in water samples 52. Third generation biofuels are derived from: (A) Pongamia (B) Jatropha (C) Animal fat (D) Alga	44.	Ener	rgy intensity is measured by the :					
(C) quantity of energy produced by an action (D) quantity of energy used by unit volume of mass 45. The role of nebuliser in Atomic Absorption Spectroscopy is: (A) Converts the liquid sample into small bubbles (B) Heat and push the sample to the detector (C) Converts the liquid sample into a fine spray or aerosol (D) Homogenizing the solutes 46. An example of neuston is: (A) fish (B) chironomous larvae (C) water strider (D) cope 47. The instrument which records the vibration of earth: (A) Seismogram (B) Clinometer (C) Seismometer (D) Richt 48. The point in the earth where the seismic waves originate: (A) Seismic area (B) Hypocentre (C) Epicentre (D) Fault 49. The set of biotic and abiotic conditions in which a species is able to persist a stable population sizes is known as: (A) Ecological niche (B) Habitat (C) Community (D) Ecote 50. In oceans, down welling occurs in the areas of: (A) High current and salinity (B) Surface convergence (C) High offshore winds (D) Surface divergence 51. The following is not an application of HPLC: (A) Detection of vitamin D levels in urine (B) Estimation of bioethanol production (C) Detection of heavy metals (D) Drug detection in water samples 52. Third generation biofuels are derived from: (A) Pongamia (B) Jatropha (C) Animal fat (D) Alga		(A)	quantity of energy required per unit of	utput	or activity			
 (D) quantity of energy used by unit volume of mass 45. The role of nebuliser in Atomic Absorption Spectroscopy is: (A) Converts the liquid sample into small bubbles (B) Heat and push the sample to the detector (C) Converts the liquid sample into a fine spray or aerosol (D) Homogenizing the solutes 46. An example of neuston is: (A) fish (B) chironomous larvae (C) water strider (D) cope 47. The instrument which records the vibration of earth: (A) Seismogram (B) Clinometer (C) Seismometer (D) Richt 48. The point in the earth where the seismic waves originate: (A) Seismic area (B) Hypocentre (C) Epicentre (D) Fault 49. The set of biotic and abiotic conditions in which a species is able to persist a stable population sizes is known as: (A) Ecological niche (B) Habitat (C) Community (D) Ecote 50. In oceans, down welling occurs in the areas of: (A) High current and salinity (B) Surface convergence (C) High offshore winds (D) Surface divergence 51. The following is not an application of HPLC: (A) Detection of vitamin D levels in urine (B) Estimation of bioethanol production (C) Detection of heavy metals (D) Drug detection in water samples 52. Third generation biofuels are derived from: (A) Pongamia (B) Jatropha (C) Animal fat (D) Alga 		(B)	quantity of energy used by the activity	y				
 45. The role of nebuliser in Atomic Absorption Spectroscopy is: (A) Converts the liquid sample into small bubbles (B) Heat and push the sample to the detector (C) Converts the liquid sample into a fine spray or aerosol (D) Homogenizing the solutes 46. An example of neuston is: (A) fish (B) chironomous larvae (C) water strider (D) cope 47. The instrument which records the vibration of earth: (A) Seismogram (B) Clinometer (C) Seismometer (D) Richt 48. The point in the earth where the seismic waves originate: (A) Seismic area (B) Hypocentre (C) Epicentre (D) Fault 49. The set of biotic and abiotic conditions in which a species is able to persist a stable population sizes is known as: (A) Ecological niche (B) Habitat (C) Community (D) Ecote 50. In oceans, down welling occurs in the areas of: (A) High current and salinity (B) Surface convergence (C) High offshore winds (D) Surface divergence 51. The following is not an application of HPLC: (A) Detection of vitamin D levels in urine (B) Estimation of bioethanol production (C) Detection of heavy metals (D) Drug detection in water samples 52. Third generation biofuels are derived from: (A) Pongamia (B) Jatropha (C) Animal fat (D) Alga 		(C)	quantity of energy produced by an ac-	tion				
(A) Converts the liquid sample into small bubbles (B) Heat and push the sample to the detector (C) Converts the liquid sample into a fine spray or aerosol (D) Homogenizing the solutes 46. An example of neuston is: (A) fish (B) chironomous larvae (C) water strider (D) cope 47. The instrument which records the vibration of earth: (A) Seismogram (B) Clinometer (C) Seismometer (D) Richt 48. The point in the earth where the seismic waves originate: (A) Seismic area (B) Hypocentre (C) Epicentre (D) Fault 49. The set of biotic and abiotic conditions in which a species is able to persist a stable population sizes is known as: (A) Ecological niche (B) Habitat (C) Community (D) Ecoto 50. In oceans, down welling occurs in the areas of: (A) High current and salinity (B) Surface convergence (C) High offshore winds (D) Surface divergence 51. The following is not an application of HPLC: (A) Detection of vitamin D levels in urine (B) Estimation of bioethanol production (C) Detection of heavy metals (D) Drug detection in water samples 52. Third generation biofuels are derived from: (A) Pongamia (B) Jatropha (C) Animal fat (D) Algan		(D)	quantity of energy used by unit volum	ne of n	nass			
(B) Heat and push the sample to the detector (C) Converts the liquid sample into a fine spray or aerosol (D) Homogenizing the solutes 46. An example of neuston is: (A) fish (B) chironomous larvae (C) water strider (D) cope 47. The instrument which records the vibration of earth: (A) Seismogram (B) Clinometer (C) Seismometer (D) Richt 48. The point in the earth where the seismic waves originate: (A) Seismic area (B) Hypocentre (C) Epicentre (D) Fault 49. The set of biotic and abiotic conditions in which a species is able to persist a stable population sizes is known as: (A) Ecological niche (B) Habitat (C) Community (D) Ecote 50. In oceans, down welling occurs in the areas of: (A) High current and salinity (B) Surface convergence (C) High offshore winds (D) Surface divergence 51. The following is not an application of HPLC: (A) Detection of vitamin D levels in urine (B) Estimation of bioethanol production (C) Detection of heavy metals (D) Drug detection in water samples 52. Third generation biofuels are derived from: (A) Pongamia (B) Jatropha (C) Animal fat (D) Alganian in the solution of the production o	45.	The	role of nebuliser in Atomic Absorption	Spectr	roscopy is:			
(C) Converts the liquid sample into a fine spray or aerosol (D) Homogenizing the solutes 46. An example of neuston is: (A) fish (B) chironomous larvae (C) water strider (D) cope 47. The instrument which records the vibration of earth: (A) Seismogram (B) Clinometer (C) Seismometer (D) Richt 48. The point in the earth where the seismic waves originate: (A) Seismic area (B) Hypocentre (C) Epicentre (D) Fault 49. The set of biotic and abiotic conditions in which a species is able to persist a stable population sizes is known as: (A) Ecological niche (B) Habitat (C) Community (D) Ecoto 50. In oceans, down welling occurs in the areas of: (A) High current and salinity (B) Surface convergence (C) High offshore winds (D) Surface divergence 51. The following is not an application of HPLC: (A) Detection of vitamin D levels in urine (B) Estimation of bioethanol production (C) Detection of heavy metals (D) Drug detection in water samples 52. Third generation biofuels are derived from: (A) Pongamia (B) Jatropha (C) Animal fat (D) Alganian in the solution of the solution of the samples (C) Animal fat (D) Alganian (D) Pongamia (B) Jatropha (C) Animal fat (D) Alganian (C) Pongamia (B) Jatropha (C) Animal fat (D) Alganian (C) Pongamia (B) Jatropha (C) Animal fat (D) Alganian (C) Pongamia (B) Jatropha (C) Animal fat (D) Alganian (C) Pongamia (B) Jatropha (C) Animal fat (D) Alganian (C) Pongamia (B) Jatropha (C) Animal fat (D) Alganian (C) Pongamia (B) Jatropha (C) Animal fat (D) Alganian (C) Pongamia (B) Jatropha (C) Animal fat (D) Alganian (C) Pongamia (B) Jatropha (C) Animal fat (D) Alganian (C) Pongamia (B) Jatropha (C) Animal fat (D) Alganian (C) Pongamia (B) Jatropha (C) Animal fat (D) Alganian (C) Pongamia (B) Jatropha (C) Animal fat (D) Alganian (C) Pongamia (B) Jatropha (C) Animal fat (D) Alganian (C) Pongamia (B) Jatropha (C) Animal fat (D) Alganian (C) Pongamia (B) Jatropha (C) Animal fat (D) Alganian (C) Pongamia (B) Jatropha (C) Animal fat (D) Alganian (C) Pongamia (B) Jatropha (C) Animal fat (D) Alganian (C) P		(A)	Converts the liquid sample into small	bubble	es			
 (D) Homogenizing the solutes 46. An example of neuston is: (A) fish (B) chironomous larvae (C) water strider (D) cope 47. The instrument which records the vibration of earth: (A) Seismogram (B) Clinometer (C) Seismometer (D) Richt 48. The point in the earth where the seismic waves originate: (A) Seismic area (B) Hypocentre (C) Epicentre (D) Fault 49. The set of biotic and abiotic conditions in which a species is able to persist a stable population sizes is known as: (A) Ecological niche (B) Habitat (C) Community (D) Ecote 50. In oceans, down welling occurs in the areas of: (A) High current and salinity (B) Surface convergence (C) High offshore winds (D) Surface divergence 51. The following is not an application of HPLC: (A) Detection of vitamin D levels in urine (B) Estimation of bioethanol production (C) Detection of heavy metals (D) Drug detection in water samples 52. Third generation biofuels are derived from: (A) Pongamia (B) Jatropha (C) Animal fat (D) Algan 		(B)	Heat and push the sample to the dete	ctor				
 46. An example of neuston is: (A) fish (B) chironomous larvae (C) water strider (D) cope 47. The instrument which records the vibration of earth: (A) Seismogram (B) Clinometer (C) Seismometer (D) Richt 48. The point in the earth where the seismic waves originate: (A) Seismic area (B) Hypocentre (C) Epicentre (D) Fault 49. The set of biotic and abiotic conditions in which a species is able to persist a stable population sizes is known as: (A) Ecological niche (B) Habitat (C) Community (D) Ecote 50. In oceans, down welling occurs in the areas of: (A) High current and salinity (B) Surface convergence (C) High offshore winds (D) Surface divergence 51. The following is not an application of HPLC: (A) Detection of vitamin D levels in urine (B) Estimation of bioethanol production (C) Detection of heavy metals (D) Drug detection in water samples 52. Third generation biofuels are derived from: (A) Pongamia (B) Jatropha (C) Animal fat (D) Algan 		(C)	Converts the liquid sample into a fine	spray	or aerosol			
(A) fish (B) chironomous larvae (C) water strider (D) cope (A). The instrument which records the vibration of earth: (A) Seismogram (B) Clinometer (C) Seismometer (D) Richt (A) Seismic area (B) Hypocentre (C) Epicentre (D) Fault (D) Fault (D) Ecotomous (E)		(D)	Homogenizing the solutes					
(A) fish (B) chironomous larvae (C) water strider (D) cope (A). The instrument which records the vibration of earth: (A) Seismogram (B) Clinometer (C) Seismometer (D) Richt (A) Seismic area (B) Hypocentre (C) Epicentre (D) Fault (D) Fault (D) Ecotomous (E)								
 47. The instrument which records the vibration of earth: (A) Seismogram (B) Clinometer (C) Seismometer (D) Richt 48. The point in the earth where the seismic waves originate: (A) Seismic area (B) Hypocentre (C) Epicentre (D) Fault 49. The set of biotic and abiotic conditions in which a species is able to persist a stable population sizes is known as: (A) Ecological niche (B) Habitat (C) Community (D) Ecote 50. In oceans, down welling occurs in the areas of: (A) High current and salinity (B) Surface convergence (C) High offshore winds (D) Surface divergence 51. The following is not an application of HPLC: (A) Detection of vitamin D levels in urine (B) Estimation of bioethanol production (C) Detection of heavy metals (D) Drug detection in water samples 52. Third generation biofuels are derived from: (A) Pongamia (B) Jatropha (C) Animal fat (D) Algan 	46.	An	example of neuston is:					
(A) Seismogram (B) Clinometer (C) Seismometer (D) Richt 48. The point in the earth where the seismic waves originate: (A) Seismic area (B) Hypocentre (C) Epicentre (D) Fault 49. The set of biotic and abiotic conditions in which a species is able to persist a stable population sizes is known as: (A) Ecological niche (B) Habitat (C) Community (D) Ecote 50. In oceans, down welling occurs in the areas of: (A) High current and salinity (B) Surface convergence (C) High offshore winds (D) Surface divergence 51. The following is not an application of HPLC: (A) Detection of vitamin D levels in urine (B) Estimation of bioethanol production (C) Detection of heavy metals (D) Drug detection in water samples 52. Third generation biofuels are derived from: (A) Pongamia (B) Jatropha (C) Animal fat (D) Algance		(A)	fish (B) chironomous larvae	(C)	water strider	(D)	copepod	
(A) Seismogram (B) Clinometer (C) Seismometer (D) Richt 48. The point in the earth where the seismic waves originate: (A) Seismic area (B) Hypocentre (C) Epicentre (D) Fault 49. The set of biotic and abiotic conditions in which a species is able to persist a stable population sizes is known as: (A) Ecological niche (B) Habitat (C) Community (D) Ecote 50. In oceans, down welling occurs in the areas of: (A) High current and salinity (B) Surface convergence (C) High offshore winds (D) Surface divergence 51. The following is not an application of HPLC: (A) Detection of vitamin D levels in urine (B) Estimation of bioethanol production (C) Detection of heavy metals (D) Drug detection in water samples 52. Third generation biofuels are derived from: (A) Pongamia (B) Jatropha (C) Animal fat (D) Algance								
 48. The point in the earth where the seismic waves originate: (A) Seismic area (B) Hypocentre (C) Epicentre (D) Fault 49. The set of biotic and abiotic conditions in which a species is able to persist a stable population sizes is known as: (A) Ecological niche (B) Habitat (C) Community (D) Ecoto 50. In oceans, down welling occurs in the areas of: (A) High current and salinity (B) Surface convergence (C) High offshore winds (D) Surface divergence 51. The following is not an application of HPLC: (A) Detection of vitamin D levels in urine (B) Estimation of bioethanol production (C) Detection of heavy metals (D) Drug detection in water samples 52. Third generation biofuels are derived from: (A) Pongamia (B) Jatropha (C) Animal fat (D) Algan 	47.	The	instrument which records the vibration	of ea	rth:			
 (A) Seismic area (B) Hypocentre (C) Epicentre (D) Fault 49. The set of biotic and abiotic conditions in which a species is able to persist a stable population sizes is known as: (A) Ecological niche (B) Habitat (C) Community (D) Ecoto 50. In oceans, down welling occurs in the areas of: (A) High current and salinity (B) Surface convergence (C) High offshore winds (D) Surface divergence 51. The following is not an application of HPLC: (A) Detection of vitamin D levels in urine (B) Estimation of bioethanol production (C) Detection of heavy metals (D) Drug detection in water samples 52. Third generation biofuels are derived from: (A) Pongamia (B) Jatropha (C) Animal fat (D) Algan 		(A)	Seismogram (B) Clinometer	(C)	Seismometer	(D)	Richter scale	
 (A) Seismic area (B) Hypocentre (C) Epicentre (D) Fault 49. The set of biotic and abiotic conditions in which a species is able to persist a stable population sizes is known as: (A) Ecological niche (B) Habitat (C) Community (D) Ecoto 50. In oceans, down welling occurs in the areas of: (A) High current and salinity (B) Surface convergence (C) High offshore winds (D) Surface divergence 51. The following is not an application of HPLC: (A) Detection of vitamin D levels in urine (B) Estimation of bioethanol production (C) Detection of heavy metals (D) Drug detection in water samples 52. Third generation biofuels are derived from: (A) Pongamia (B) Jatropha (C) Animal fat (D) Algan 								
 49. The set of biotic and abiotic conditions in which a species is able to persist a stable population sizes is known as: (A) Ecological niche (B) Habitat (C) Community (D) Ecoto 50. In oceans, down welling occurs in the areas of: (A) High current and salinity (B) Surface convergence (C) High offshore winds (D) Surface divergence 51. The following is not an application of HPLC: (A) Detection of vitamin D levels in urine (B) Estimation of bioethanol production (C) Detection of heavy metals (D) Drug detection in water samples 52. Third generation biofuels are derived from: (A) Pongamia (B) Jatropha (C) Animal fat (D) Algan 	48.							
stable population sizes is known as: (A) Ecological niche (B) Habitat (C) Community (D) Ecoto 50. In oceans, down welling occurs in the areas of: (A) High current and salinity (B) Surface convergence (C) High offshore winds (D) Surface divergence 51. The following is not an application of HPLC: (A) Detection of vitamin D levels in urine (B) Estimation of bioethanol production (C) Detection of heavy metals (D) Drug detection in water samples 52. Third generation biofuels are derived from: (A) Pongamia (B) Jatropha (C) Animal fat (D) Algan		(A)	Seismic area (B) Hypocentre	(C)	Epicentre	(D)	Fault	
stable population sizes is known as: (A) Ecological niche (B) Habitat (C) Community (D) Ecoto 50. In oceans, down welling occurs in the areas of: (A) High current and salinity (B) Surface convergence (C) High offshore winds (D) Surface divergence 51. The following is not an application of HPLC: (A) Detection of vitamin D levels in urine (B) Estimation of bioethanol production (C) Detection of heavy metals (D) Drug detection in water samples 52. Third generation biofuels are derived from: (A) Pongamia (B) Jatropha (C) Animal fat (D) Algan						on special reserve		
(A) Ecological niche (B) Habitat (C) Community (D) Ecotors 50. In oceans, down welling occurs in the areas of: (A) High current and salinity (B) Surface convergence (C) High offshore winds (D) Surface divergence 51. The following is not an application of HPLC: (A) Detection of vitamin D levels in urine (B) Estimation of bioethanol production (C) Detection of heavy metals (D) Drug detection in water samples 52. Third generation biofuels are derived from: (A) Pongamia (B) Jatropha (C) Animal fat (D) Algangement (C) Anima	49.			which	a species is able	e to pe	rsist and main	taın
 50. In oceans, down welling occurs in the areas of: (A) High current and salinity (B) Surface convergence (C) High offshore winds (D) Surface divergence 51. The following is not an application of HPLC: (A) Detection of vitamin D levels in urine (B) Estimation of bioethanol production (C) Detection of heavy metals (D) Drug detection in water samples 52. Third generation biofuels are derived from: (A) Pongamia (B) Jatropha (C) Animal fat (D) Algan 				(C)	Community	(D)	Ecotone	
(A) High current and salinity (B) Surface convergence (C) High offshore winds (D) Surface divergence 51. The following is not an application of HPLC: (A) Detection of vitamin D levels in urine (B) Estimation of bioethanol production (C) Detection of heavy metals (D) Drug detection in water samples 52. Third generation biofuels are derived from: (A) Pongamia (B) Jatropha (C) Animal fat (D) Algance		()	Leological factor (b) Factorial	(-)	- Junior	(-)		
(A) High current and salinity (B) Surface convergence (C) High offshore winds (D) Surface divergence 51. The following is not an application of HPLC: (A) Detection of vitamin D levels in urine (B) Estimation of bioethanol production (C) Detection of heavy metals (D) Drug detection in water samples 52. Third generation biofuels are derived from: (A) Pongamia (B) Jatropha (C) Animal fat (D) Algance	50.	In o	ceans, down welling occurs in the areas	of:				
(C) High offshore winds (D) Surface divergence 51. The following is not an application of HPLC: (A) Detection of vitamin D levels in urine (B) Estimation of bioethanol production (C) Detection of heavy metals (D) Drug detection in water samples 52. Third generation biofuels are derived from: (A) Pongamia (B) Jatropha (C) Animal fat (D) Algan					face convergence			
 (A) Detection of vitamin D levels in urine (B) Estimation of bioethanol production (C) Detection of heavy metals (D) Drug detection in water samples 52. Third generation biofuels are derived from: (A) Pongamia (B) Jatropha (C) Animal fat (D) Algan 		-						
 (A) Detection of vitamin D levels in urine (B) Estimation of bioethanol production (C) Detection of heavy metals (D) Drug detection in water samples 52. Third generation biofuels are derived from: (A) Pongamia (B) Jatropha (C) Animal fat (D) Algan 								
(B) Estimation of bioethanol production (C) Detection of heavy metals (D) Drug detection in water samples 52. Third generation biofuels are derived from: (A) Pongamia (B) Jatropha (C) Animal fat (D) Alga	51.	The	following is not an application of HPLO	Z:				
(C) Detection of heavy metals (D) Drug detection in water samples 52. Third generation biofuels are derived from: (A) Pongamia (B) Jatropha (C) Animal fat (D) Alga		(A)	Detection of vitamin D levels in urine					
(D) Drug detection in water samples 52. Third generation biofuels are derived from: (A) Pongamia (B) Jatropha (C) Animal fat (D) Alga		(B)	Estimation of bioethanol production					
52. Third generation biofuels are derived from : (A) Pongamia (B) Jatropha (C) Animal fat (D) Alga		(C)	Detection of heavy metals					
(A) Pongamia (B) Jatropha (C) Animal fat (D) Alga		(D)	Drug detection in water samples					
(A) Pongamia (B) Jatropha (C) Animal fat (D) Alga								
	52.						owners and	
203/2015 8		(A)	Pongamia (B) Jatropha	(C)	Animal fat	(D)	Algae	
203/2015 8		9888						THE PROPERTY OF THE PROPERTY O
	203/	2015	8					A

53.	In a	green home, the tangible	e benefit of ener	gy savin	g is:	
	(A)	25 - 40% (B)	40 - 60%	(C) 1	0 - 20%	(D) 20 - 30%
54.	As p	er Greenpeace report, th	ne toxic hotspot	of Keral	a is:	
	(A)	Brahmapuram Dumpi	ng Yard (B)	Laloor	Waste dumpin	g site
	(C)	Eloor - Edayar Industr	ial Region (D)	Mavoo	or Rayons	
55.	Sele	ct the false statement on	water property	1		
	(A)	Increased salinity; incr	eased density			
	(B)	Increased temperature	; increased salir	nity		
	(C)	High evaporation; high	h salinity			
	(D)	Increased temperature	; decreased den	sity		
56.	The	power flow of an organ	ism per unit are	a or of a	trophic level is	::
	(A)	Productivity	(B)	Bioma		
	(C)	Gross energy	(D)	Troph	ic dynamics	
						tion of Milaini Marton
57.	Nan					ration of Nilgiri Marten :
	(A)				kettan Shola N	ľ
	(C)	Pampadum Shola NP	(D)	Eravil	culam NP	
58.	The	three R's in environment	ntal protection:			
	(A)	Reduce, Recycle and I	Remediate			
	(B)	Reproduce, Reduce at	nd Recycle			
	(C)	Remediate, Reuse and	l Rejuvenate			
	(D)	Reduce, Recycle and I	Reuse			
				702		
59.	Wh	o inaugurated the Silent				(D) 1/ 1/
	(A)	Rajiv Gandhi (B)	Indira Gandhi	(C)	Morarji Desai	(D) K. Karunakaran
60.	The	e main gaseous pollutan	t in the coastal a	ind brac	kish water area	s of Kerala is :
v.SHOT	(A)	and the second s	(B)		on monoxide	
	(C)		(D)) Carbo	on dioxide	
			9)		203/2015
A			3			(P.T.O.)

61	The	biolominosana abananan at	Manuel	
61.				uzha coast during July 2015 was due to :
		Chlorella vulgaris	(B)	
	(C)	Photobacterium phosphoreum	(D)	Mesocyclops
	77			
62.		sar Convention is related with:		
		Wetlands	(B)	Mountain ecosystems
	(C)	Marine pollution	(D)	Radioactive waste
63.		Cobra belongs to the category :		
	(A)	Vulnerable (B) Endangere	ed	(C) Near threatened (D) Least concern
64.	The	specialised freshwater wetlands in	the fo	prest of Kerala are known as :
	(A)	Potholes	(B)	Ecotone
	(C)	Reed valley	(D)	Myristica swamps
65.		ch of the following is an example of	of in si	itu conservation ?
	(A)	Seed bank	(B)	Gene bank
	(C)	Wild life sanctuary	(D)	Zoos
66.	Pern	nament Hardness of drinking water	is du	e to the presence of :
	(A)	Carbonates and bicarbonates		
	(B)	Nitrate ions		
	(C)	Calcium and magnesium ions		
	(D)	Potassium and phosphate		
67.	In w	hich layer of the atmosphere, the a	urora	s (Northern lights) occur ?
	(A)	Stratosphere (B) Thermospl	nere	(C) Troposphere (D) Exosphere
68.	The	dominant vegetation of Chinnar w	ild life	e sanctuary is :
	(A)	Southern moist deciduous forest		
	(B)	Southern wet evergreen forest		
	(C)	Southern tropical dry deciduous f	orest	
	(D)	Southern tropical thorn forest		

{P.T.O.}

69.	Bhopal gas tragedy was due to:					
	(A) Sulphur dioxide	(B)	Carl	oon monoxide		
	(C) Methyl cyanide	(D)	Met	hyl isocyanate		
70.	Which one of the following is the 'eas	st flowi	ng' ri	ver in Kerala ?		
	(A) Bhavani (B) Periyar		(C)	Chalakkudy	(D)	Kallada
71.	The wind system in the tropical region	ns are	know	n as :		
	(A) Cyclones (B) Trade w	inds	(C)	Westerlies	(D)	Hurricanes
72.	The main cause of lung diseases is :					
	(A) Carbon dioxide (B) Ozone		(C)	Nitrous oxide	(D)	RSPM
73.	Select the false statement :					
	(A) Rainwater contains pollens	(B)	Rair	water contains	dust	
	(C) Rainwater is acidic in nature	(D)	Rair	water contains of	essentia	nl minerals
74.	Select the false statement :					
	(A) The organic matter in the soil is	ncrease	s the	Cation Exchange	Capac	city (CEC)
	(B) If a soil have higher CEC, it is h	ighly fo	ertile			
	(C) If a soil have higher CEC, it is le					
	(D) CEC is measured in milliequiva	lents po	er 100	grams of soil		
75.	The primitive and last remaining hur	ter and	gath	erer tribal comm	unity o	of Kerala is:
	(A) Mala Araya (B) Kuruma		(C)	Kurichiar	(D)	Cholanaikkans
76.	The first National Park in India:					
	(A) Jim Corbett NP (B) Silent Va	lley NI) (C)	Kaziranga NP	(D)	Bandipur NP
77.	Following is an example of Zoonotic	epidem	ic:			
	(A) SARS	(B)	Mal	aria		
	(C) Japanese encephalitis	(D)	Jaur	ndice		
=0	I POD (COD		0.6		to fatal	la and effective .
78.	In a waste water, the BOD ₅ /COD _{cr} ra				is fair	y cost effective :
	(A) Addition of alum (C) Phytoremediation	(B) (D)		kling filters dation ponds		
	(c) rhytoremediation	(12)	OAII	aution points		
4		11				203/2015

79.	Mod	lified Jacob and Hochheiser metho	d is u	sed for the measurement of :
	(A)	Sulphur dioxide in air	(B)	Nitrate in water
	(C)	Phosphate in water	(D)	Nitrogen dioxide in air
80.	The	Chairman of WGEEP is:		
	(A)	Madhav Gadgil	(B)	Kasturirangan
	(C)	V. S. Vijayan	(D)	Ommen V. Ommen
81.	An e	eminent Social Reformer of Kerala	know	vn as Vidyadhiraja :
	(A)	Sree Narayana Guru	(B)	Chattambi Swamikal
	(C)	Vaghbadanandan	(D)	Vakkam Abdul Khadar Maulavi
82.	The	person who was known as "Bhara	it Kesa	ori":
	(A)	The state of the s		Veluthampi Dalwa
		Mannathu Padmanabhan		Dr. Palpu
83.	Who	was the volunteer captain of Gu	muan	ur Satuagraha 2
00.		E.M.S. Namboothiripad	(B)	G.P. Pillai
		E.K. Nayanar	No.	A.K. Gopalan
	(-)	E.A. Ivayanar	(D)	A.K. Gopalan
84.	Whi	ch one was considered the mouth	piece	of Abstention Movement ?
	(A)	Al Ameen	(B)	Kerala Kesari
	(C)	Swedeshabhimani .	(D)	Malayala Manorama
85.	Unn	Namboothiri is the publication of		
	(A)	Nayar Service Society	(B)	Sreenarayana Dharma Paripalana Yogam
	(C)	Sadu Paripalana Sangam	(D)	Yogakshema Sabha
86.	The	Temple Entry Proclamation was o	n :	
700	(A)	12th November 1936	(B)	12th November 1932
	(C)	12th January 1950	(D)	1 st November 1951
87.	"Mu	slim Janavum Vidhyabyasavum" a n	otable	work of :
	(A)	Makthi Thangal	(B)	Dr. C.K. Kareem
	(C)	Veliyamkode Umer Khasi	(D)	Vakkam Abdul Khadar Maulavi
203/	2015		12	

8.		founder of Famous Islamic Semina		
	(A) (C)	Sayyid Alavi Thangal Komukutty Maulavi	100	Chalilakath Kunahmed Haji Ali Musliyar
9.	Who	made primary education compuls	sorv i	n Travancore ?
		Colonel Manro	(B)	Swathi Tirunal
	(C)	Rani Guri Parvathi Bai		Rani Lakshmi Bai
0.	"Viv	ekodayam" a Magazine was publisi	hed b	y:
170.70	(A)		(B)	
	(C)	Kumaranasan	Open to	Swami Vivekananda
17	1A/lac	bagged King Faisal International	Prize	2015.7
1.			(B)	Omar Mwannes Yaghi
	(A) (C)	Dr. Prafulla Kar	(D)	
	3:-5:			
2.		nt does the term A.A.Y. denote, wh Government of India ?	nich is	the short form of a social scheme launched by
	(A)	Antodaya Awas Yojana	(B)	Asian Awas Yojana
	(C)	Antodaya Anna Yojana	(D)	Area Antodaya Yojana
100		177 175 1 1 1 1 1 1		dia on 12 th January 2015. The day was observed
93.	to c	ional Youth Day was observed acro ommemorate the birth anniversary	of w	hich famous Indian Philosopher?
		Rabindranath Tagore		Swami Vivekananda
	(C)	Dayananda Saraswathi	(D)	Sarvepalli Radhakrishnan
94.	Who	o won the Men's Singles Title of th	e Swi	iss Open of Badminton on March 2015 ?
	(A)	Sun Yu	(B)	Lu Kai
	(C)	Kidambi Srikanth	(D)	Victor Alexson
95.	Wh	at was the theme of the World	Con	sumers Rights Day which was observed on
		March 2015 ?		
	(A)	Helping consumers choose healt	hy die	ets
	(B)	Consumer justice		
	(C)	Every consumer has rights to he	althy	diet
	(D)	Our money, our rights		
Δ			13	3 203/2015

	(A)	imes Higher Education Harward University	(B)	Oxford University	
	(C)	Stanford University	(D)	Massachusetts Institu	ate of Technology
97.	Whi	ch State Government la	unched Bhagyas	hree Scheme for Girl (Child on 2015 ?
	(A)	Uttar Pradesh (B)	Maharashtra	(C) Sikkim	(D) Tripura
98.	Whi	ch Indian ecologist wor	n the Tyler Prize	for Environment Achi	evement 2015 ?
	(A)	Madhav Gadgil	(B)	Salim Ali	
	(C)	Sukathakumari	(D)	Kasturirangan	
99.	Who	bagged the best actres	s award of the N	lational Film Awards	announced on 2015 ?
	(A)	Priyanka Chopra	(B)	Kareena Kapoor	
	(C)	Maduri Dixit	(D)	Kangana Ranaut	
100.	Whi	ch Party of Israel won t	the Israeli election	ns 2015 ?	
	(A)	Likud Party	(B)	Joint Arab List Party	
	(C)	Zionist Union Party	(D)	Yesh Atid Party	
			-000)-	