36/2014

		Maximum: 100	mark	8
				Time: 1 hour and 15 minutes
1.	For cuttin	ng a solid brass rod the most suitable p	itch of	the hacksaw blade is :
	(A)	1.4 mm	(B)	1 mm
	(C)	1.8 mm	(D)	0.8 mm
2.	The correconcentra	ect proportion for servo cut 'S' in tion of:	water	for preparing soluble oil is with a
	(A)	20 %	(B)	50 %
	(C)	0.5 %	(D)	5 %
3.	The helic	al angle of twist drill determines the :		
	(A)	Lip angle	(B)	Rake angle
	(C)	Chew angle	(D)	Cutting angle
4.	The term	surface finish refers to the:		
	(A)	Heat treatment given on the surface	(B)	Shining of a machined surface
	(C)	Type of coating given on a surface	(D)	Roughness or smoothness of a surface
5.	In the let	ter drill series, the size of the drill 'A' is	equal	l to:
	(A)	5 mm .	(B)	13 mm
	(C)	5.944 mm	(D)	6.08 mm
6.	A chemic	al compound of carbon with iron is calle	ed:	
	(A)	Pearlite	(B)	Cementite
	(C)	Austenite	(D)	Ferrite
7.	If the ma	in electric supply is not available, we ca	an do	arc welding with :
	(A)	Transformer set	(B)	Rectifier set
	(C)	Engine generator set	(D)	Motor generator set
8.	The tail s	tock is offset by :		
	(A)	Body of the tailstock	(B)	Spindle of the tailstock

A

Body of the tailstock

Base of the tailstock

3

(D)

Whole tailstock as a unit

36/2014 4					1
	(C)	Below 20 mm	(D)	Below 20.7 mm	
	(A)	Below 12.7 mm	(B)	Below 10 mm	
17.	Small hole	e gauges are used to measure h	noles and slots		
	(C)	Refine the structure	(D)	Harden the surface	
	(A)	Soften the metal	(B)	Increase the toughness	
16.	The purpo	ose of normalizing is to:			
	(C)	Calorimeter	(D)	Barometer	
	(A)	Pyrometer	(B)	Thermometer	
15.		ument used to measure high te			
	(A) (C)	Shore test	(B) (D)	Rockwell hardness test Brinnel hardness test	
14.		on of a load for a specified period Vicker hardness test		an identation tool is used in the :	
14				and the second of the second	
	(C)	Size of the bubble	(D)	Type of liquid	
	(A)	Curvature of glass tube	(B)	Length of glass tube	
13.	The sensi	tiveness of spirit level depends	upon the		
	(C)	Boron carbide	(D)	Aluminium oxide	
	(A)	Diamond	(B)	Silicon carbide	
12.	The abras	ssive used for honing of non-fer	rous metal is:		
	(C)	Stabilized chromium steel	(D)	High carbon steel	
	(A)	Nickel steel	(B)	High speed steel	
11.	Sine bar	is made of:			
	(C)	Roughness spacing	(D)	Surface texture	
	(A)	Roughness	(B)	Waviness	
10.	The patte	ern on the work surface caused	by the movem	ent of the cutting tool is called:	
	(C)	4 pads	(D)	No pads	
	(A)	2 pads	(B)	3 pads	
9.	In Lathe	machine the follower steady ha	as:		
					4

18.	A drilling	machine used by a carpenter for c	abinet mal	king is a:
	(A)	Ratchet drilling machine	(B)	Radial drilling machine
	(C)	Sensitive drilling machine	(D)	Breast drilling machine
19.	The ream	er teeth are unevenly spaced beca	use:	
	(A)	Easy to manufacture	(B)	Reduce chattering
	(C)	Help to cut metal gradually	(D)	To remove the reamer easily
20.	Tab wash	ers are used for :		
	(A)	Preventing vibration	(B)	Locking the nuts
	(C)	Self Locking	(D)	Fastening structural fabrication work
21.	Cells are	connected in parallel to :		
	(A)	Increase the voltage output	(B)	Increase the internal resistance
	(C)	Decrease the current capacity	(D)	Increase the current capacity
22.	A materia	l that is slightly repelled by a mag	gnet is call	ed):
	(A)	Magnetic	(B)	Para magnetic
	(C)	Diamagnetic	(D)	Ferro magnetic
23.	The React	tive Power can be calculated by us	ing the for	mula:
	(A)	KVA × cos ø	(B)	$\mathrm{KW} \times \mathrm{cos} \; \phi$
	(C)	$KW \times \sin \phi$	(D)	$KVA \times \sin \phi$
24.	The meta	l used for the control spring in an	electrical i	nstrument is:
		Steel	(B)	Nichrome
	(C)	Hard-drawn copper	(D)	Phosphor-bronze
25.	An instru	ment using gravity control will re	ad correctly	y if used in :
	(A)	the vertical position only	(B)	the horizontal position only
	(C)	an inclined position only	(D)	any position
26.	Calculate P = 10 oh	the unknown resistance (Rx) i ms, Q=100 ohms, S=600 ohms	n a wheat s. The unki	stone bridge from the following data nown resistance is:
	(A)	6000 ohms	(B)	600 ohms
	(C)	60 ohms	(D)	6 ohms
A			5	36/2014 [P.T.O.]

27.	Sweep of ceiling fan refers to:							
	· (A)	radius of circle formed by its rotation	radius of circle formed by its rotation					
	(B)	double the length of the blade						
	(C)	the distance from the centre of moto	he distance from the centre of motor to tip of blade					
	(D)	double the distance from centre of m	otor to	tip of blade				
28.	Which of measuren		to be	connected in the same manner for				
	(A)	frequency meter and P.F. meter	(B)	voltmeter and P.F. meter				
	(C)	voltmeter and frequency meter	(D)	wattmeter and voltmeter				
29.	Capacitar	ace is not affected by :						
	(A)	plate area	(B)	distance between plates				
	(C)	di-electric material	(D)	frequency				
30.		tance of an aluminium wire of a give	en leng	th and diameter when compared with				
	(A)	same in the case of small diameter w	rires or	nly				
	(B)	more irrespective of the sizes taken						
	(C)	less irrespective of the sizes taken						
	(D)	equal for certain specified length and	l diam	eter				
31.	A choke co	oil of an operating fluorescent lamp is	short c	ircuited. What is the consequence?				
	(A)	the lamp becomes brighter						
	(B)	the lamp becomes less bright						
	(C)	the current becomes so large that it d	lamage	es the tube				
	(D)	the short circuit is noticed only after	the la	mp is switched on again				
32.	The unit o	f inductance is henry and the unit of i	nducti	ve reactance is :				
	(A)	henry	(B)	henry per metre				
	(C)	ohms	(D)	ohms per henry				
33.	A double o	capacitor motor of 0.5 kW when connected load current of :	cted to	240 V 50 Hz mains at power factor 0.8				
	(A)	1.8 A	(B)	2.0 A				
	(C)	2.3 A	(D)	2.6 A				
36/20	014	6		A				

	Which type fire?	e of fire extinguisher is to be used or	elect	trical equipment or installation under	
	(A)	foam type	(B)	halon type	
	(C)	gas cartridge water filled type	(D)	stored pressure water filled type	
35.	What is t	the type of winding wire you would idizer motor?	d sele	ect for rewinding the armature of a	
	(A)	single silk covered copper wire	(B)	single cotton covered copper wire .	
	(C)	super enameled copper wire	(D)	double silk covered winding wire	
36.	Current di	rawn from the supply by a permanent	capac	itor motor will be :	
	(A)	lagging the voltage less than 90°	(B)	lagging the voltage by 90°	
	(C)	leading the voltage by 90°	(D)	in-phase with the voltage	
37.	Which one	of the following is an active componer	nt in a	an electric circuit?	
	(A)	inductor	(B)	capacitor	
	(C)	resistor	(D)	diode	
38.	What is th	ne type of supply on which a universal	motor	r can work?	
	(A)	A.C. supply only	(B)	D.C. supply only	
	(C)	both on A.C. and D.C. supply	(D)	only on rectified D.C. supply	
39.	You are r	epairing a pump that lifts too less was	ter th	nan earlier. What could be the probable	ð
	(A)	level of water in pump is too high	2.0		
	(B)	impeller damaged			
	(C)	pump is running in reverse direction	ı		
	(D)	motor running fast due to higher free	quenc	y	
40.	As a gen pointer is	eral rule before connecting the meter at zero or not. The rule is not applical	rs to ble in	the circuit, we should see whether the case of:	е
	(A)	Multimeter in voltage range	(B)	Watt meter	
	(C)	Milli-ammeter	(D)	Megger	
41.	Traps are	classified according to their:			
	(A)	Depth of water	(B)		
	(C)	Material	(D)) Water seal	
A		7		36/201 [P.T.O	

42.	2. How many numbers of tapes containing in a hand tap set:						
	* (A)	Three	(B)	Two			
	(C)	One	(D)	Four			
43.	Which to	ol is used to hold larger diam	eter pipes?				
	(A)	Pipe vice	(B)	Leg vice			
	(C)	Hand vice	(D)	Chain pipe vice			
				Simili pape vice			
44.	Which de	vice is used to burning the re	fuse :				
	(A)	Incinerator	(B)	Kiln			
	(C)	Humidifier	(D)	Furnace			
45.		is practically the only flux	used for brazing				
	(A)	Zinc chloride	(B)	Ammonium chloride			
	(C)	Borax	(D)	Tallow			
46.	What han	pens to socket end in expans	ion joint when n	ino contra et 2			
	(A)	Moves forward	(B)	Moves backwards			
	(C)	No movement	(D)	Breaks down			
			- 1	Diedas down			
47.	Which join	nt is used for temporary pipe	line:				
	(A)	Screwed joint	(B)	Wiped joint			
	(C)	Collar joints	(D)	Flanged joints			
48.	Cast Iron	detachable joints are used to	join:				
	(A)	Cast iron pipes	(B)	Concrete pipes			
	(C)	AC pressure pipes	(D)	GI pipes			
49.	Which do	day is used to be a					
40,				line for fire fighting purpose:			
	(A)	Hydrants	(B)	Sluice valve			
	(C)	Scour valve	(D)	Blow off valve			
50.	Which typ sand etc:	e water treatment process is	used for removi	ng suspended impurities like silt, clay,			
	(A)	Screening	(B)	Coagulation			
	(C)	Filtration	(D)	Plain sedimentation			

36/2014

8

A

51.	Bib cock spindle continuously slipping when the tap is turned and tap does not shut off:				
	(A)	Spindle thread worn out	(B)	Spindle bent	
	(C)	Stuffing box packing is dry	(D)	Valve loose on t	he spindle
52.	Which fitt	ing is used to supply stream of	water from b	ottom sections of	bowl in bidet?
	(A)	Ferrule	(B)	Angle cock	
	(C)	Jet	(D)	Fountain	
53.	Sump is a	underground structure which	is used to:		
	(A)	Store sewage	(B)	Collecting efflu	ents
	(C)	Collecting waste water	(D)	Store water	
54.	The lower	most level or surface of a sewe	r is known as		
	(A)	Benching	(B)	Invert	
	· (C)	Spigot	(D)	Ferrule	
55.		— is used to prevent earth sli	ding during tr	ench excavation	:
	(A)	Timbering & shoring	(B)	Strut	
	(C)	Ledger	(D)	Platform	
56.	What type	e of flux is used for soldering co	opper sheets, b	rass sheets and	tin plates?
	(A)	Hydrochloric acid	(B)	Zinc chloride	
	(C)	Ammonium chloride	(D)	Resin	
57.	What type	e of chisel is used for paring an	d finishing joi	nts?	
	(A)	Firmer chisel	(B)	Bevel-edge	
	(C)	Paring chisel	(D)	Mortise chisel	
58.	What is u	sed for disposing the effluent of	of septic tank :		
	(A)	Cesspool	(B)	Leach pit	
	(C)	Soak pit	(D)	Manhole	
59.	Which filt	ter is used in small industrial p	olants?		
	(A)	Slow sand filter	(B)	Rapid sand filte	er
	(C)	Sluice filter	(D)	Pressure filter	
A			9		36/2014 [P.T.O.]

60.	What	tool:	is used	to cut	any diar	neter of	nine .
	T. T. MARKET	White and	TO MOUNT	DO CHE	CLARA CARCEL	HOUGE OF	DILLIC .

(A) Pipe cutter

(B) Multi-wheel chain pipe cutter

(C) Plumber's saw

(D) Hack saw

61. Unit of power is:

- (A) Newton
- (C) Joule

- (B) Second
- (D) Watt

62. One Newton is equal to:

- (A) 102 dynes
- (C) 105 dynes

- (B) 10³ dynes
- (D) 104 dynes

- (A) $\frac{1}{3}\pi r^2 h$
- (C) $\frac{2}{3}\pi r^3$

- (B) $\frac{4}{3} \pi r^3$
- (D) 4 π r²

64. The resultant R of two forces P and Q acting at an angle θ to each other is given by the equation:

- (A) $R^2 = P^2 + Q^2 2PQ \cos \theta$
- (B) $R^2 = P^2 + Q^2 + PQ\cos\theta$
- (C) $R^2 = P^2 + Q^2 + 2PQ\cos\theta$
- (D) $R^2 = P^2 + Q^2 PQ\cos\theta$

65. The product of
$$1\frac{1}{2} \times \frac{1}{4}$$
 is equal to:

- (A) $\frac{8}{3}$
- (C) $\frac{3}{4}$

- (B) $\frac{3}{8}$
- (D) $2\frac{1}{4}$

- (A) Decagon
- (C) Pentagon

- (B) Octagon
- (D) Hexagon

- (A) $\frac{W}{2n \times p} \times 100$
- (C) $\frac{W}{23 \times p} \times 100$

- (B) $\frac{W}{2 \times p} \times 100$
- (D) $\frac{2 \times p}{w} \times 100$

68.
$$\sqrt{5\sqrt{}} = :$$

(A) 1.236

(B) 22.36

(C) 0.236

(D) 2.236

69. The value of 0.8 + 0.008 + 0.08 is:

(A) .888

(B) 1.888

(C) 0.888

(D) 8.88

70. The value of Sin (A + B) is equal to:

- (A) Sin A Cos B Cos A Sin B
- (B) Sin A Cos B + Cos A Sin B
- (C) Cos A Cos B + Sin A Sin B
- (D) Cos A Sin B Sin A Cos B

71. Annealing is done:

(A) To harden the steel

- (B) To normalize grains in the steel
- (C) To soften steel for machining.
- (D) To toughen the steel

72. The perimeter of a rectangle having sides 'x' and 'y' is:

(A) 2xy

(B) 2x + 2y

(C) $x^2 + y^2$

(D) x + y

73. Area of the scalene triangle is :

(A) $\frac{4}{3} 4 \pi^3$

(B) $\frac{1}{3} 4 \pi r^2 h$

(C) $\sqrt{s(s-a)(s-b)(s-c)}$

(D) $\frac{\sqrt{3a^2}}{4}$

74. Galena is the ore of:

(A) Tin

(B) Lead

(C) Copper

(D) Chromium

75. $6 \div 3$ by 4 = :

(A) 4

(B) 0.5

(C) 2.5

(D) 8

A

11

36/2014 [P.T.O.]

76.	The Fahr	enheit scale is divided into		
	(A)	180 equal parts	(B)	100 equal parts
	(C)	80 equal parts	(D)	360 equal parts
77.	Dynamic	friction is always:		
	(A)	Less than limiting friction	n (B)	More than static friction
	(C)	More than limiting friction	n (D)	None of the above
78.	Latent he	at of vaporization of water	at 100°c is	
	(A)	9720 cal/g	(B)	80 cal/g
	(C)	1440 cal/g	(D)	540 cal/g
	1 0			
79.	$\frac{1}{2} + 1\frac{3}{4} = \frac{1}{3}$	$\frac{1}{8} + x$ find x :		
	(A)	$1\frac{7}{8}$	(B)	5
			(13)	4
	(C)	$\frac{9}{8}$	(D)	$\frac{4}{5}$
80.	The mome	ent about a point in its line	of action is:	
	(A)	1	(B)	0
	(C)	-1	(D)	None of these
81.	Who amor	ng the following has started	the Public Work	Department in India in 1848?
	(A)	Lord William Bentick	(B)	Lord Dalhousie
	(C)	Lord Wellesley	(D)	Lord Cornwallis
32.	Who called	d Ayyankali as 'Pulaya Raja	1'?	
	(A)	Jawaharlal Nehru	(B)	Sree Narayana Guru
	(C)	K. Kelappan	(D)	Mahatma Gandhi
33.	Who was i	popularly known as 'Superin	ntendent Avva?	
	(A)	Thycaud Ayya Gurukkal	(B)	Ayyankali
	(C)	Vakkom Moulavi	(D)	Ayya Vaikuntar
		,		nyja vaikumar
36/20	014		12	

84.	Who led t	he Revolt of 1857 at Kanpur?		
	(A)	Begam Hazrath Mahal	(B)	Nana Saheb
	(C)	Tantia Tope	(D)	Rani Lakshmi Bai
85.	Mannath	u Padhmanabhan's Autobiograph	y?	
	(A)	Ente Jeevitha Samarangal	(B)	Njan
	(C)	Aathmakatha	(D)	Ente Kathoppuka
86.	Who amo	ng the following was thrice electe	d as Preside	ent of Indian National Congress?
	(A)	Surendranath Banerji	(B)	Gopala Krishna Gokhale
	(C)	Sir. C. Sankaran Nair	(D)	Dadabai Naoroji
87.	All India	Trade Union Congress formed at		
	(A)	Lucknow in 1918	(B)	Delhi in 1919
	(C)	Mumbai in 1920	(D)	Kanpur in 1921
88.	Temple e	ntry proclamation in Travancore	was issued i	in:
	(A)	12 Nov 1936	(B)	12 Nov 1930
	(C)	12 Nov 1931	(D)	12 Oct 1936
89.	Who was	elected as the President of All Inc	lia Khilafat	h Conference met at Delhi in 1919?
	(A)	Motilal Nehru	(B)	Mohammed Ali
	(C)	Muhammed Ali Jinna	(D)	Shaukath Ali
90.	Yachana	Yathra was led by :		
	(A)	M. Padhmanabhan	(B)	Kumaranasan
	(C)	Sahodharan Ayyappan	(D)	V.T. Bhattathirippad
91.	Who was	the author of the famous work 'Ja	thikummi'	?
	(A)	K. P. Karuppan	(B)	Vaikunda Swamikal
	(C)	Chattambi Swamikal	(D)	Vayalar rama Varma
92.	Darsanan	nala was written by :		
	(A)	Ayyankali	(B)	Sree Narayana Guru
	(C)	Chavra Kuriakose Eliyas	(D)	Dr. Palpu
A			13	36/2014

93.	3. Who among the following was not a member of the Cabinet Mission?					
	(A)	Sir Stafford Cripps	(B)	A.V. Alexander		
	(C)	Radcliffe	(D)	Pathick Lawrence		
94.	Founder	of the 'Forward Block'?				
	(A)	Balagangadhara Thilak	(B)	Annie Besant		
	(C)	Lalalajpath Rai	(D)	Subash Chandra Bose		
95.	Moksha F	radeepam was written by:				
	(A)	Vallathol Narayana Menon	(B)	Brahmananda Swami Sivayogi		
	(C)	Sahodaran Ayyappan	(D)	R. Sankar		
96.	Samathw	a Samajam was formed by :				
	(A)	Kumara Guru	(B)	Vaikunda Swamikal		
	(C)	Swami Vivekanandan	(D)	V. T. Bhattathirippad		
97.	Who was	nicknamed as 'Vidhyadirajan' :				
	(A)	Pandit Karuppan	(B)	Mannathu Padhmanabhan		
	(C)	Chattambhi Swamikal	(D)	Vagbhatanda		
98.	The sloga	n 'India for Indians' was raised by				
	(A)	Raja Ram Mohan Roy	(B)	Bhagat Singh		
	(C)	Swami Dayananda Saraswathy	(D)	Bala Gangadara Thilak		
99.	Name the	News Paper owned by Gandhiji in	South Afr	rica :		
	(A)	Indian Opinion	(B)	The Hindu		
	(C)	Common Wheel	(D)	New India		
100.	Who amor	ng the following were the official C	ongress ne	gotiators with the Cripps Mission?		
	(A)	Gandhiji and Sardar Vallabai patel				
	(B)	J. B. Kripalani and Rajagopalach	ari			
	(C)	Jawaharlal Nehru and Maulana	Adbul Kala	nm Azad		
	(D)	Dr. Rajendra Prasad and Subash	Chandra I	Bose		