#### 84/2014

Maximum: 100 marks

Time: 1 hour and 15 minutes

			· ·	
1.	Heavy fly	wheel required in :		
	(A)	Multi cylinder engine	(B)	Two stroke engine
	(C)	V-Engine	(D)	Single cylinder engine
2.	In two str	oke three cylinder engine, the firing i	nterval	of crank shaft is:
	(A)	360°	(B)	240°
	(C)	60°	(D)	120°
3.	The diam	eter of inlet valve is :		
	(A)	Same as exhaust valve	(B)	Greater than exhaust valve
	(C)	Smaller than exhaust valve	(D)	1/4 <sup>th</sup> of exhaust valve
4.	Firing ord	ler of 4 cylinder 'I'-head engine is :		
	(A)	1-2-3-4	(B)	1-3-4-2
	(C)	1 -2 -4 -3	(D)	1-4-2-3
5.	Material	used for making cylinder head gasket	is:	
	(A)	Copper and asbestos	(B)	Cork and copper
	(C)	Sheet of aluminium	(D)	Asbestos and fibre
6.	Engine w	ith equal bore and stroke is called :		
	(A)	Uniform engine	(B)	Equalised engine
	(C)	Square engine	(D)	None of these
7.	Vibration	damper is mounted:		
	. (A)	On flywheel	(B)	Front end of gear box
	(C)	Front end of crank shaft	(D)	Top end of connecting rod
		2) II O SI W I CH		

8.	Fyenesiye	valve stem – guide clearance may ca	1100 .			
0.	(A)	Valve breakage	(B)	Noisy valve operation		
	(C)	Valve face wear	(D)	Necking of valve stem		
	(0)	valve lace wear	(1)	recking or varve stem		
9.	Exhaust v	valve face angle is generally:				
	(A)	30°	(B)	60°		
	(C)	45°	(D)	15°		
10.	The inlet	valve starts opening :				
	(A)	At TDC	(B)	At BDC		
	(C)	Before TDC	(D)	After TDC		
11.	Aluminiu	m alloy is used to make piston for :				
	(A)	Reduce piston expansion	(B)	Make the piston stronger		
	(C)	Reduce corrosion	(D)	Reduce piston weight		
12.	Compress	ion rings are generaly made of :				
	(A)	Steel	(B)	High carbon steel		
	(C)	Aluminium	(D)	Chromium		
13.	Maximum	n permissible bearing clearance for th	e cam s	haft is:		
	(A)	0.05 mm	(B)	0.01 mm		
	(C)	0.5 mm	(D)	0.7 mm		
14.	Cylinder head is tightened by using:					
	(A)	Spanner	(B)	Lifting screw		
	(C)	Torque spanner	(D)	Hammer		
15.	In Radiate	or, coolant is pumped from:				
	(A)	Radiator cores	(B)	Collector tank		
	(C)	Upper tank	(D)	Reservoir tank		
16.	Thermost	at in cooling system is used to :				
	(A)	Reduce temperature of coolant				
	(B).	Protect radiator from bursting				
	(C)	Transfer coolant from radiator to en	ngine			
	(D)	Maintaining coolant temperature				
84/20	114	4				

17.	Coolant pu	ump used in automobile is :		
	(A)	Reciprocating type	(B)	Vane type
	(C)	Centrifugal type	(D)	None of the above
18.	Radiator	core is made of :	20	
10.	(A)	Steel	(B)	Copper
	(C)	Cast iron	(D)	Plastic
			. 1	
19.		ation system commonly used in two	V 1256.7	
	(A)	Splash	(B)	Drisump
	(C)	Pressure	(D)	Petroil
20.	Number o	f gears used in gear pump is:		
	(A)	4	(B)	3
	(C)	2	(D)	8
21.	One of the	e reason of high oil consumption in e	engine is	
	(A)	Oil having high viscosity	(B)	Oil lines clogged
	(C)	The releaf valve may be struck	(D)	Incorrect piston ring gap
22.	Oil filter	should be changed near about	— ki	lometers of vehicle run.
	(A)	10,000	(B)	25,000
	(C)	50,000	(D)	. 60,000
23.	Oil passe	s from the oil pump to:		
	(A)	Oil gallery	(B)	Main bearings
	(C)	Oil stainer	(D)	Oil filter
24.	End play	of gears of an oil pump is checked b	y:	
	(A)	Inside caliper	(B)	Vernier
	(C)	Outside caliper	(D)	Feeler gange
0.5		value of gasolines is approximately		
25.		40 MJ/Kg	(B)	20 MJ/Kg
	(A)		(D)	1200 MJ/Kg
A	(C)	90 MJ/Kg		84/2014 [P.T.O.]
				[1,11,01]

26.	Diesel kn	ock happens when :		
	(A)	Ignition delay period increases	(B)	Ignition delay period decreases
	(C)	C.R is high	(D)	None of these
27.	Common	fuel supply system in two-wheeler is	3 :	
	(A)	Pressure	(B)	Pump
	(C)	Gravity	(D)	Vaccum
28.	Stoichiom	netric mixture of petrol engine at its	ideal con	ndition is:
	(A)	14.6:1	(B)	20:1
	(C)	12:1	(D)	1:1
29.	The drive	for mechanical fuel pump is taken f	from :	
	(A)	Cam shaft	(B)	Crank shaft
	(C)	Distributor shaft	(D)	None of these
30.	The choke	e used in petrol engine for :		
	(A)	Accelerating the vehicle	(B)	Idealing the engine
	(C)	Stopping the engine	(D)	Starting the engine
31.	The ventu	uri in carburettor is used to:		
	(A)	Accelerate the engine		
	(B)	Cold starting		
	(C)	Increasing fuel pressure		
	(D)	Increase air velocity for suction of	fuel	
32.	In petrol	injection system, the petrol is comme	only injec	cted into :
	(A)	The port	(B)	The throttle
	(C)	Cylinder	(D)	Venturi
33.	An examp	ole of constant vaccum type carburet	tor is :	
	(A)	Solex carburattor	(B)	S.U carburettor
	(C)	Zenith carburettor	(D)	Carter carburettor
84/2	014	6		
ALTERNATION AND ADDRESS OF THE PARTY.	Carried State of the Control of the			

34.	The compr	ession ratio of C.I engine is ne	ar about :		
	(A)	22:1	(B)	7:1	
	(C)	10:1	(D)	15:1	1.
35.	The test u	sed for finding brake power of	each cylinder	in multy cylinder is called :	
	(A)	Power test	(B)	Efficiency test	
	(C)	Morse test	(D)	Stroke test	
36.	Brake mea	an effective pressure in an eng	ine depends u	pon its:	
	(A)	Speed	(B)	Power	
	(C)	Torque	(D)	Compression ratio	
37.	Ignition co	oil is used to :	+		
	(A)	Increase the voltage	(B)	Increase the current	
	(C)	Controls the ignition	(D)	None of these	
38.	Condense	r in ignition system is mounted	1:		
	(A)	In the carburettor	(B)	On the spark plug	
	(C)	In the distributor housing	(D)	On the ignition coil	
39.	The factor	which will not effect ignition	advance is:		
	(A)	Speed	(B)	Load	
	(C)	Engine temperature	(D)	Battery voltage	
40.	Hot spark	s is used in:			
	(A)	Medium duty engine	(B)	Heavy duty engine	
	(C)	High speed engine	(D)	All of the above	
41.	The prim	ary winding of ignition coil con	sists of:		
	(A)	Many turns of thin wire	(B)	Few turns of thick wire	
	(C)	Many turns of thick wire	(D)	Few turns of thin wire	
42.	Spark oc	curs when :			
	(A)	C.B. point opens	(B)	C.B. point closes	
	(C)	Ignition switch is on	(D)	Primary voltage increases	0.4/0.04.4
A			7		84/2014 [P.T.O.]

43.	Spark plu	ng having white insulator tip indica	ates:	
	(A)	Leaded fuel	(B)	Gas leak
	(C)	Retarded ignition	(D)	Over advanced ignition
44.	The num	ber of ignition coils in a distributor	less igniti	on system for a 6 cylinder engine is :
	(A)	1	(B)	6
	(C)	2	(D)	3
45.	Increasin	g plate size in lead acid battery inc	reases :	
	(A)	Voltage	(B)	Current
	(C)	Capacity	(D)	None of these
46.	The numb	ber of negative plates in lead acid b	attery is:	
	(A)	One more than +Ve plate	(B)	Three more than +Ve plate
	(C)	One less than +Ve plate	(D)	Two less than +Ve plate
47.	Specific g	ravity of fully charged battery is:		
	(A)	2.30	(B)	1.29
	(C)	1.60	(D)	12
48.	The negat	tive plate of lead acid battery has:		
	(A)	Pb	(B)	PbO <sub>2</sub>
	. (C)	Pb <sub>2</sub> O <sub>2</sub>	(D)	SO4
49.	Cadmium	test in lead acid battery is to find		
	(A)	sp. gravity of electrolyte	(B)	concentration of H <sub>2</sub> SO <sub>4</sub>
	(C)	chemical condition of plates	. (D)	self discharge
50.	Internal s	hort circuiting in plates is due to:		
	(A)	High voltage	(B)	Overcharging of battery
	(C)	Plate damage	(D)	Damaged separators
84/2	014	8		

51.	Cut out re	elay is used to :		
	(A)	Increase the voltage in circuit	t	
	(B)	Increase the current in circui	t.	
	(C)	Charging of battery		
	(D)	Prevent discharge of battery	to generator	
52.	The outpu	nt of alternator is controlled by	:	
	(A)	Voltage regulator	(B)	Current regulator
	(C)	Brushes	(D)	None of the above
53.	Growler is	s used for testing :		
	(A)	Inertia of bendex	(B)	Short circuit of armature
	(C)	Clearance of armature	(D)	Earthing of starter motor
54.	Parking d	istance of a vehicle from fire er	ngine is :	
	(A)	2 meter	(B)	1 meter
	(C)	4 meter	(D)	1 Kilometer
55.	The docur	nent which shows the maximu	m weight that	a vehicle can carry :
	(A)	Permit	(B)	Insurance certificate
	(C)	Goods carriage record	(D)	None of these
56.	Should no	at reverse the vehicle in :		
	(A)	Ferry	(B)	Upward gradient
	(C)	One way	(D)	Railway gate
57.	The dista	nce kept by the vehicle in the h	ack of other v	ehicle running in same direction is:
	(A)	10 meter	(B)	5 meter
	(C)	2 meter	· (D)	6 meter
58.	Number o	f passengers can travel on the	back seat of a	motor cycle is :
	(A)	2	(B)	1 adult and 1 child
	(C)	1	(D)	0
A			9	84/2014

F0	m	lankish is wat aklada akam karakanda			
59.		d which is not able to show by electri	The same		
	(A)	Overtaking permission	(B)	Left turn	
	(C)	Stopping	(D)	Reverse	
60.	Maximun	n speed of a motorcycle is :			
	(A)	50 km/hr	(B)	60 km/hr	
	(C)	70 km/hr	(D)	No limit	
61.	While rea	ching a junction a vehicle should give	e prefere	ence:	
	(A)	to left side vehicle	(B)	rear vehicle	
	(C)	right side vehicle	(D)	none of the above	
62.	Yellow lin	ne at the center of the road shows:			
	(A)	Should not overtake			
	(B)	Not allowing heavy vehicle			
	(C)	Should not allow other vehicle to ov	vertake		
	(D)	Should not cross the line			
63.	Yellow lig	ght on automatic signal shows:			
	(A)	Turn right	(B)	Should not stop the vehicle	
	(C)	Make ready to move the vehicle	(D)	Allow other vehicle to overtake	
64.	The place	where the vehicle is not permitted t	o park :		
	(A)	Near bus stop	(B)	Road with downward gradient	
	(C)	Public road side	(D)	Near to public office	
65.	Number o	of person allows on a tractor :			
	(A)	One	(B)	Two	
	(C)	Ten	(D)	None	
66.	Loose gea	r on the main shaft in a gear box ma	y cause		
	(A)	Easy gear shifting	(B)	Clash of gears	
	(C)	Gear slipping	(D)	None of these	
84/2	2014	10	1.4		A

A	*	11		84/2014 [P.T.O.]
	(C)	Equalising wear	(D)	Avoiding wheel wobbling
	(A)	Avoiding ply separation	(B)	Reducing uneven wear
75.	Purpose o	f tyre rotation is for:		
	(C)	Wheel tramp	(D)	Hard steering
	(A)	Excessive tyre wear	(B)	Wheel wobbling
74.		castor may cause:		
			,	
	(A) (C)	Kingpin inclination	(D)	Toe-in
73.		Castor	(B)	Camber
79		n of king pin in the plane of tyre is ca	llod ·	
	(C)	Damping the vibration of spring	(D)	Keep the wheels in same position
	(A)	Take the load of a vehicle	(B)	Keep the vehicle for stability
72.	Shock abs	sorber is used to :		
	(C)	At low speed	(D)	None of these
	(A)	During continuous application	(B)	At high speed
71.	Fading of	brakes occurs :		
	(C)	Helical gears	(D)	Universal joint
	(A)	Bearings	(B)	Slide joint
70.	Torque tr	ansmission at an angle made by :		
	(C)	Crown wheel	(D)	Propeller shaft
	(A)	Differential cage Crown wheel	(B)	Sun gear Propaller shaft
69.		t is splinned to :	(75)	C
	(C)	Locomotive engines	(D)	Heavy vehicle
٠,	(A)	Automatic transmission	(B)	Petrol vehicles
68.	Epicyclic	gear box is used in :		
	(C)	Decreasing speed	(D)	Increasing speed
	(A)	Decreasing power	(B)	Increasing power
67.	Increasin	g of torque in gear box by :		

76.	Brake ble	eding is used for :			
	(A)	Removing excess fluid	(B)	Removing air	
	(C)	Removing excess pressure	(D)	Removing vaccum	
77.	The term	"ply rating" with reference to a	tyre indicate	s:	
	(A)	Number of plies	(B)	Rated inflation	
	(C)	Rated strength	(D)	Size of tyre	
78.	The type	of reflector used for automobile	head lamp is		
-	(A)	Spherical	(B)	Parabolic	
	(C)	Hyperbolic	(D)	Plain	
79.	The diam	eter of the engine cylinder is cal	lled:		
	(A)	Boss	(B)	Rim	
	(C)	Bore	(D)	Stroke	
80.	When chi	ld lock is actuated the door can'	t be opened?		
	(A)	Permanently	(B)	From inside	
	(C)	For a few minutes	(D)	From outside	
81.	Which of	the following Rivers flows west	ward?		
	(A)	Krishna	(B)	Kaveri	
	(C)	Mahanadi	(D)	Narmada	
82.	Who was	the leader of Vaikyam satyagra	ha?		
	(A)	A.K. Gopalan	(B)	K.Kelappan	
	(C)	T.K. Madhavan	(D)	Mannath Padpnabhan	
83.	Who was	the first Defence Minister of In	dia after Indi	a became independent:	
	(A)	Sardar Vallabai Pattel	(B)	V.K. Krishnan Menon	
	(C)	V.P. Menon	(D)	Moulana Abdul Kalam Azad	
84.	Who was	the President of Indian Nationa	al Congress d	uring the time of partition of Bengal?	
	(A)	Gopalakrishna Gokale	(B)	Bala Gangadhara Tilak	
	(C)	Dada Bai Naoroji	(D)	Subhash Chandra Bose	
84/	2014		12		A

85.	Central C	oconut Research Station Situ	uated at:	
	(A)	Thiruvananthapuram	(B)	Calcutta
	(C)	Kasergode	(D)	Jodhpur
86.	The word	"Socialist, Secular" were add	ded into the pres	amble of Indian Constitution by the:
	(A)	24th Amendment	(B)	25th Amendment
	(C)	42 <sup>nd</sup> Amendment	(D)	37th Amendment
87.	The year	of Aruvipuram Prathishta do	one by Sree Nara	ıyana Guru :
	(A)	1888	(B)	1898
	(C)	1903	(D)	1788
88.	The Assoc	ciation formed by Poikayil Yo	hannan :	
	(A)	PRCS	(B)	PRDA
	(C)	PRDS	(D)	PADS
89.	The Aray	a Samajam was founded by :		
	(A)	Sahodaran Ayyappan	(B)	Pandit Karuppan
	(C)	Ayyankali	(D)	Ayya Vaikundar
90.	The dram	a 'Adukalayil Ninnu Aranga	thekku' written	by:
	(A)	E.M.S. Namboodiripad	(B)	Vagbadananda
	(C)	V.T. Bhatathiripad	(D)	Chempaka Raman Pillai
91.	The Kolla	m Era began in which year :		
	(A)	A.D. 825	(B)	A.D. 925
	(C)	A.D. 78	(D)	A.D. 390
92.	Black soil	was founded in which distri	ct of Kerala :	
	(A)	Idukki	(B)	Wayanad
	(C)	Palakkad	(D)	Kottayam
93.	In addition	n to Lakdives which among	them was one of	the coral Island in Arabian Sea :
	(A)	Sree Lanka	(B)	Andaman Nicobar
	(C)	Medagasker	(D)	Mal dives
A			13	84/2014 [P.T.O.]

94.		lowing statements which statement attupuzha:	nt is comm	non to the rivers Pamba, Meenachilar
	(A)	Length below 100 metre		
	(B)	Reached at Arabian sea		
	(C)	Reached at Vembanattu Lake		
	(D)	Flowing through kottayam and	Alapuzha d	istricts
95.	The Hiral	sud Dam constructed in which Riv	ver:	
	(A)	Mahanadi	(B)	Satlej
	(C)	River Ganga	(D)	River Bageeradi
96.	Indian pla	anning commision came in to exist	t:	
	(A)	1950 - March	(B)	1950 – June
	(C)	1951 – December	(D)	1951 - March
97.	'National	Food security bill' passed by Lok	Sabha on :	
	(A)	2013 - Aug - 26	(B)	2013 - Sept - 26
	(C)	2013 – July – 26	(D)	2013 - Octo - 26
98.	India's fir	st Mars discovery satelite :		
	(A)	PSLV - 5D	(B)	Metsat
	(C)	Mangalyan	(D)	Chandrayan
99.	The langu	nages in India which is attained la	stly the cla	ssical status :
	(A)	Tamil	(B)	Malayalam
	(C)	Telungu	(D)	Sanskrit
100.	In which	Olympics India got more medals:		
	(A)	2012 - London Olympics	(B)	2004 – Athens Olympics
	(C)	2008 - Baijing Olympics	(D)	2000 - Sydney Olympics